# APPENDIX 11

# ANALYSIS OF FAUNAL REMAINS

BY

MELINDA A. ZEDER
DEPARTMENT OF ANTHROPOLOGY
NMNH SMITHSONIAN INSTITUTION
WASHINGTON, D.C.

Mammals -

| Provenience | Mammal | Total | Skull | Mandible | Scapula | Homerus | Radius | Ulna | Carpal | Pelvis | Femur | Patella | Tibia | Fibula | Tarsal | Metapodial | Phalanx | Limb | Cervical V. | Thoracic V. | Lumbar V. | Sacrum | Vertebra | Rib |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ferguson House | | | | | | | | | | | | | | | | | | | | | | | | |
| 81/27-001: TS 1 Lvl. A | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | |
| | Large Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | 1 |
| -012: TS 3 F. 2 | TOTAL | 2 | | | | | | | | | | | | | | | | | | | | | | |
| | Unident. Mammal | 2 | | | | | | | | | | | | | | | | | | | | | | |
| -018: TS 5 Lvl. A | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | |
| | *Ovis aries* | 1 | | | 1 | | | | | | | | | | | | | | | | | | | |
| -102: TS 5 Lvl. A | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | |
| | *Bos taurus* | 1 | | | | | | | | | 1 | | | | | | | | | | | | | |
| -019: TS 5 Lvl. B | TOTAL | 2 | | | | | | | | | | | | | | | | | | | | | | |
| | *Bos taurus* | 1 | | | | | | | | 1 | | | | | | | | | | | | | | |
| | unident. Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | |
| -020: TS 5 Lvl. C' | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | |
| | Large Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | 1 |
| -024: TS 6 Lvl. A | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | |
| | Unident. Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | |
| -104: TP 6 Lvl. A | TOTAL | 4 | | | | | | | | | | | | | | | | | | | | | | |
| | Young Bos | 3 | | | 1 | | | | | 1 | 1 | | | | | | | | | | | | | |
| | *Sus scrofa* | 1 | | 1 | | | | | | | | | | | | | | | | | | | | |
| -105: TP 6 Lvl. B | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | |
| | Medium Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | 1 |
| -026: TS 6 Lvl. B2 | TOTAL | 3 | | | | | | | | | | | | | | | | | | | | | | |
| | *Bos taurus* | 1 | | | | | | | | | 1 | | | | | | | | | | | | | |
| | Large Mammal | 1 | | | | | | | | | | | | | | | | | | | | | 1 | |
| | Medium Mammal | 1 | | | | | | | | | | | | | | | | 1 | | | | | | |
| -030: TS 7 Sod A | TOTAL | 3 | | | | | | | | | | | | | | | | | | | | | | |
| | *Ovis aries* | 1 | | | | | | | | | | | 1 | | | | | | | | | | | |
| | Large Mammal | 2 | | | | | | | | | | | | | | | | 1 | | | 1 | | | |

Mammals -

| Provenience | Mammal | Total | Skull | Mandible | Scapula | Humerus | Radius | Ulna | Carpal | Pelvis | Femur | Patella | Tibia | Fibula | Tarsal | Metapodial | Phalanx | Limb | Cervical V. | Thoracic V. | Lumbar V. | Sacrum | Vertebra | Rib | Unident. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ferguson House | | | | | | | | | | | | | | | | | | | | | | | | | |
| 81/27-107: TP 7 Lvl. A | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | Unident. Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 |
| -031: TS 7 Lvl. B | TOTAL | 7 | | | | | | | | | | | | | | | | | | | | | | | |
| | *Bos taurus* | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | *Sus scrofa* | 1 | | | | | | | | | 1 | | | | | | | | | | | | | | |
| | *Ovis aries* ? | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | |
| | Small Mammal | 4 | | | | | | | | | | | | | | | | 3 | | | | | 1 | | |
| -108: TP 7 Lvl. B' | TOTAL | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | *Bos taurus* | 1 | | | | | | | | | 1 | | | | | | | | | | | | | | |
| | Unident. Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 |
| -032: TS 7 Lvl. C | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | *Bos taurus* | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| -110: TP 7 Lvl. C | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | Large Mammal | 1 | | | | | | | | | | | | | | | | 1 | | | | | | | |
| -112: TP 8 Lvl. A | TOTAL | 7 | | | | | | | | | | | | | | | | | | | | | | | |
| | *Sus scrofa* | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | *Ovis aries* | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | Medium Mammal | 3 | | | | | | | | | | | | | | | | | | 1 | | | | 2 | |
| | Unident. Mammal | 2 | | | | | | | | | | | | | | | | | | | | | | | 2 |
| -113: TP 8 Lvl. B | TOTAL | 12 | | | | | | | | | | | | | | | | | | | | | | | |
| | *Bos taurus* | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | *Sus scrofa* | 2 | | | | | | 1 | | | | | | | 1 | | | | | | | | | | |
| | Large Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | Medium Mammal | 6 | | | | | | | | | | | | | | | | 5 | | | | | 1 | | |
| | Unident. Mammal | 2 | | | | | | | | | | | | | | | | | | | | | | | 2 |
| -034: TS 8 Lvl. B | TOTAL | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | Unident. Mammal | 2 | | | | | | | | | | | | | | | | | | | | | | | 2 |
| -115: TP 9 Lvl. A | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | Medium Mammal | 1 | | | | | | | | | | | | | | | | | | | | | 1 | | |

Mammals -

| Provenience | Mammal | Total | Skull | Mandible | Scapula | Humerus | Radius | Ulna | Carpal | Pelvis | Femur | Patella | Tibia | Fibula | Tarsal | Metapodial | Phalanx | Limb | Cervical V. | Thoracic V. | Lumbar V. | Sacrum | Vertebra | Rib | Unident. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ferguson House | | | | | | | | | | | | | | | | | | | | | | | | | |
| 81/27-037: TS 9 Lvl. B | TOTAL | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | Medium Mammal | 2 | | | | | | | | | | | | | | | | 1 | | | | | | 1 | |
| -040: TS 10 Lvl. A | TOTAL | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | Ovis aries | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | |
| | Large Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | |
| -070: TS 14 Lvl. E | TOTAL | 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | Bos taurus | 1 | | | | | | | 1 | | | | | | | | | | | | | | | | |
| | Sus scrofa | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | Ovis aries | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| | Large Mammal | 1 | | | | | | | | | | | | | | | | | | | 1 | | | | |
| | Unident. Mammal | 2 | | | | | | | | | | | | | | | | | | | | | | | 2 |
| -078: TS 16 Lvl. A | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | Sus scrofa | 1 | | 1 | | | | | | | | | | | | | | | | | | | | | |
| -079: TS 16 Lvl. B | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | Bos taurus | 1 | | | | | | | | | 1 | | | | | | | | | | | | | | |
| -080: TS 16 Lvl. C | TOTAL | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | Large Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | |
| | Medium Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 |
| -081: TS 16 Lvl. D | TOTAL | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | Unident. Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 |
| -087: TS 18 Lvl. A | TOTAL | 8 | | | | | | | | | | | | | | | | | | | | | | | |
| | Bos taurus | 1 | | | | | | | | | | | 1 | | | | | | | | | | | | |
| | Sus scrofa | 3 | | 2 | | | | | | | | | | | 1 | | | | | | | | | | |
| | Ovis aries | 3 | | | | | | | | | | | 2 | | | | | 1 | | | | | | | |
| | Medium Mammal | 1 | | | | | | | | | | | | | | | | | 1 | | | | | | |
| -088: TS 18 Lvl. B | TOTAL | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | Bos taurus | 1 | | | | | | | | | 1 | | | | | | | | | | | | | | |
| | Medium Mammal | 2 | | | | | | | | | | | | | | | | | 1 | | | | | 1 | |
| | | 9 | | | | | | | | | | | | | | | | | | | | | | | |

ammals -

| Provenience | Mammal | Total | Skull | Mandible | Scapula | Humerus | Radius | Ulna | Carpal | Pelvis | Femur | Patella | Tibia | Fibula | Tarsal | Metapodial | Phalanx | Limb | Cervical V. | Thoracic V. | Lumbar V. | Sacrum | Vertebra | Rib | Unident. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ferguson House 81/27-089: TS 18 Lvl. C | TOTAL | 9 | | | | | | | | | | | | | | | | | | | | | | | |
| | Bos taurus | 1 | | | 1 | | | | | | | | | | | | | | | | | | | | |
| | Young Bos | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | |
| | Sus scrofa | 2 | 1 | 1 | | | | | | | | | | | | | | | | | | | | | |
| | Large Mammal | 3 | | | | | | | | | | | | | | | | | | | | | | | 3 |
| | Medium Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | 1 | |
| | Unident. Mammal | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 |

Identification Notes:

Sus scrofa - domestic pig. The percentage of pig in these assemblages is elevated by a large number of teeth, a pattern which may represent butchery practices more than it represents actual meat contribution of these species. Food source

Bos taurus - domestic cattle. A high percentage of teeth and head elements of this species is found at these sites (especially when compared to urban assemblages in the region). Local butchery and rearing of cattle at these rural sites is indicated. Food source

Young Bos - calves about 6 months or younger, probable food source

Ovis aries - domestic sheep. All bones for which discrimination between sheep and goat is possible belong to sheep. The possibility that some of the bones for which discrimination is impossible belong to domestic goats (Capra hircus) cannot be excluded. Food source

Large Mammal - cattle and horse size bones unidentifiable to any finer taxonomic level

Medium Mammal - pig and sheep size bones unidentifiable to any finer taxonomic level. This category contains all pig and sheep (and deer) vertebra and rib fragments, which cannot be discriminated from one another, as well as fragments from other skeletal regions too fragmented for species identification.

Unidentifiable Mammal - bones of an indeterminate size mammal

Birds

| Provenience | Bird | Total | Cranium | Sternum | Clavical | Coracoid | Scapula | Humerus | Radius | Ulna | Carpo-metacarpus | Pelvis | Femur | Tibia | Tarso-metatarsus | Phalanx | Limb | Upper Vert. | Lower Vert. | Rib | Unident. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ferguson House | | | | | | | | | | | | | | | | | | | | | |
| 81/27-001: TS 1 Lvl. A | TOTAL | 1 | | | | | | | | | | | | | | | | | | | |
| | Gallus gallus | 1 | | | | 1 | | | | | | | | | | | | | | | |
| -009: TS 3 Lvl. B | TOTAL | 3 | | | | | | | | | | | | | | | | | | | |
| | Gallus gallus | 3 | | | | | | | | | | | 1 | 1 | 1 | | | | | | |
| -012: TS 3 F. 2 | TOTAL | 6 | | | | | | | | | | | | | | | | | | | |
| | Gallus gallus | 2 | | | | | | | | | | 1 | 1 | | | | | | | | |
| | Medium Bird | 4 | | | | | | | | | | | | | | | | | 3 | 1 | |
| -104: TP 6 Lvl. A | TOTAL | 2 | | | | | | | | | | | | | | | | | | | |
| | Medium Bird | 1 | | | | | | | | | | | 1 | | | | | | | | |
| | Unident. Bird | 1 | | | | | | | | | | | | | | | | | | | 1 |
| -031: TS 7 Lvl. B | TOTAL | 2 | | | | | | | | | | | | | | | | | | | |
| | Medium Bird | 2 | | | | | | | | | | | | | | | 2 | | | | |
| -108: TP 7 Lvl. B' | TOTAL | 1 | | | | | | | | | | | | | | | | | | | |
| | Medium Bird | 1 | | | | | | | | | | | 1 | | | | | | | | |
| -110: TP 7 Lvl. C | TOTAL | 2 | | | | | | | | | | | | | | | | | | | |
| | Medium Bird | 2 | | | | | | | | | | | | | | | 2 | | | | |
| -112: TP 8 Lvl. A | TOTAL | 1 | | | | | | | | | | | | | | | | | | | |
| | Medium Bird | 1 | | | | | | | | | | | | | | | 1 | | | | |
| -035: TS 8 Lvl. C | TOTAL | 35 | | | | | | | | | | | | | | | | | | | |
| | Gallus gallus | 5 | | 1 | | 2 | 2 | | | | | | | | | | | | | | |
| | Medium Bird | 30 | | | | | | | | | | | | | | | | 1 | | | 30 |
| -050: TS 12 Lvl. B2 | TOTAL | 3 | | | | | | | | | | | | | | | | | | | |
| | Gallus gallus | 1 | | | | | | | | | | | | | 1 | | | | | | |
| | Medium Bird | 2 | | | | | | | | | | | | | | | 2 | | | | |
| -057: TS 13 Lvl. B | TOTAL | 1 | | | | | | | | | | | | | | | | | | | |
| | Gallus/Meleagris | 1 | | | | | | | | | | | | 1 | | | | | | | |

Birds -

| Provenience | Bird | Total | Cranium | Sternum | Clavical | Coracoid | Scapula | Humerus | Radius | Ulna | Carpo-metacarpus | Pelvis | Femur | Tibia | Tarso-metatarsus | Phalanx | Limb | Upper Vert. | Lower Vert. | Rib | Unident. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ferguson House | | | | | | | | | | | | | | | | | | | | | |
| 81/27-070: Ext. TS 14 L E | TOTAL | 1 | | | | | | | | | | | | | | | | | | | |
| | Medium Bird | 1 | | | | | | | | | | | | | | | 1 | | | | |
| -079: TS 16 Lvl. B | TOTAL | 1 | | | | | | | | | | | | | | | | | | | |
| | Medium Bird | 1 | | | | | | | | | | | | | | | 1 | | | | |

Identification Notes:

Gallus gallus - domestic chicken, food source

Gallus/Meleagris - chicken or turkey. Bones of these birds are morphologically almost indistinguishable and there is an overlap in the size ranges of these species. These are larger bones that could either represent the large rooster or the small turkey. Food source

Medium Bird - chicken size bones unidentifiable to any finer taxanomic level

Unidentifiable Bird - bones of an indeterminate size bird

Miscellaneous

Reptiles and Fish

| Provenience | Animal | Number of Fragments |
|---|---|---|
| 81/27: Ferguson House | | |
| -110: T.P. 7 & Lvl. C | Fish | 1 unidentifiable |