Appendix B

SUMMARY OF SUBSURFACE TESTING

APPENDIX B

SUMMARY OF SUBSURFACE TESTING

Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Shovel Test	1	1	0 - 0.45ft	medium sand	10YR 5/2	--
		2	0.45 - 0.8ft	mottled, medium sand. with asphalt and gravel	10YR 4/1, 10YR 3/3	--
		3	0.8 - 2.1ft	fine sand with pebbles	10YR 7/4	--
		4	2.1 - 4.8ft	fine, wet sand.	2.5Y 5/1	--
Shovel Test	2	1	0 - 0.3ft	sand	10YR 4/2	--
		2	0.3 - 1.5ft	medium sand.	2.5Y 3/2	--
		3	1.5 - 1.9ft	fine sand. with concrete	2.5Y 3/1	--
		4	1.9 - 3.6ft	fine sand	2.5Y 4/2	--
		5	3.6 - 4.2ft	clay	2.5Y 2/1	--
		6	4.2 - 4.8ft	wet silty sand	2.5Y 3/1	--
		7	4.8 - 5.4ft	medium, wet sand	2.5Y 3/1.	--
		8	5.4 - 6ft	fine, wet sand.	2.5Y 4/1	--
Shovel Test	3	1	0 - 1.8ft	medium sand with concrete	10YR 3/1	--
		2	1.8 - 2.8ft	fine sand. with wood bulk head	10YR 4/1	--
		3	2.8 - 4.5ft	medium sand	10YR 4/1.	--
		4	4.5 - 6ft	sand	10YR 5/2	--
Shovel Test	4	1	0 - 0.4ft	medium sand	10YR 5/4	--
		2	0.4 - 1.1ft	medium sand.	7.5YR 4/1	Historic Ceramic Vessel Sherds
		3	1.1 - 1.6ft	fine sand with large rock	2.5Y 5/2	--
		4	1.6 - 1.6ft	rock impasse	--	--
Shovel Test	5	1	0 - 0.6ft	medium sand	2.5Y 4/4	--
		2	0.6 - 1.7ft	asphalt	--	--
		3	1.7 - 2.9ft	medium sand	10YR 3/4	--
		4	2.9 - 3.7ft	fine sand. with oyster shells	2.5Y 2/1	--
		5	3.7 - 5.2ft	sand	2.5Y 5/2	--

APPENDIX B (Cont.)

SUMMARY OF SUBSURFACE TESTING

Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Shovel Test	6	1	0 - 0.7ft	medium sand	2.5Y 4/3	--
		2	0.7 - 1.5ft	sand. with small to medium rocks	10YR 5/2	--
		3	1.5 - 2ft	crushed stone	--	--
		4	2 - 2ft	rock impasse		--
Shovel Test	7	1	0 - 1.1ft	medium sand	2.5Y 4/3	--
		2	1.1 - 1.8ft	sand with small rocks	10YR 5/2	--
		3	1.8 - 1.8ft	rock impasse	--	--
Shovel Test	8	1	0 - 1.1ft	medium sand	10YR 5/3	--
		2	1.1 - 2ft	compact silty sand with gravel	10YR 3/1	--
		3	2 - 2.6ft	compact clayey sand	2.5Y 5/1	--
		4	2.6 - 3ft	sand with small rocks	2.5Y 5/4	--
		5	3 - 3ft	rock impasse	--	--
Shovel Test	9	1	0 - 1.5ft	sandy clay with shell and gravel	2.5Y 5/1	--
		2	1.5 - 4ft	clay	2.5Y 5/1.	--
Shovel Test	10	1	0 - 0.7ft	silty sand	10YR 4/2	--
		2	0.7 - 1ft	compact, medium sand with gravel	10YR 7/3	--
		3	1 - 1.2ft	medium sand, Buried A horizon	10YR 4/3	--
		4	1.2 - 2.6ft	fine sand with gravel	2.5Y 6/4	--
		5	2.6 - 4.1ft	fine, wet sand.	2.5Y 7/3	--
		6	4.1 - 5ft	fine, wet sand with pebbles	10YR 1/1	--
Shovel Test	11	1	0 - 0.9ft	silty sand	10YR 5/2	--
		2	0.9 - 2.8ft	medium sand	10YR 5/3	--
		3	2.8 - 4ft	sand loam, Buried A horizon	2.5Y 3/1	Historic Ceramic Vessel Sherds
		4	4 - 4.4ft	medium sand, B horizon	2.5Y 5/2	--
		5	4.4 - 4.8ft	mottled sandy clay	2.5Y 6/1, 2.5Y 5/3	--
		6	4.8 - 5.4ft	sandy clay.	5YR 6/1	--
		7	5.4 - 6ft	medium sand with gravel	5YR 6/1.	--

APPENDIX B (Cont.)

SUMMARY OF SUBSURFACE TESTING

Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Shovel Test	12	1	0 - 0.9ft	silty sand	10YR 4/2	--
		1 A	0 - 0.8ft	sand loam	2.5Y 4/2	--
		2 A	0.8 - 1.3ft	medium sand	2.5Y 6/4	--
		2	0.9 - 2.8ft	sand	10YR 6/4	Historic Building Materials
						Historic Ceramic Vessel Sherds
						Historic Glass Vessel Fragments
						Historic Tools/Hardware
		3 A	1.3 - 1.8ft	medium sand.	2.5Y 6/6	--
		3	2.8 - 3.4ft	silty sand with pebbles and brick	2.5Y 4/1	Historic Building Materials
						Historic Glass Vessel Fragments
		4	3.4 - 4.3ft	sand with pebbles and brick	2.5Y 5/1	--
		4 A	1.8 - 2.7ft	medium sand	2.5Y 5/4	Historic Building Materials
						Historic Ceramic Vessel Sherds
		5	4.3 - 4.3ft	brick impasse	--	--
		5 A	2.7 - 3.7ft	sandy clay with pebbles	10YR 3/2	Historic Glass Vessel Fragments
		6 A	3.7 - 4ft	medium sand	2.5Y 6/2	--
		7 A	4 - 4.5ft	sand loam	2.5Y 3/1	Historic Building Materials
						Historic Glass Vessel Fragments
		8 A	4.5 - 5ft	clayey sand	5YR 5/1	Historic Glass Vessel Fragments
		9 A	5 - 5.9ft	medium sand with quartzite pebbles	2.5Y 5/1	--
Shovel Test	13	1	0 - 0.6ft	medium sand	10YR 5/3	--
		1 A	0 - 0.7ft	sand with small rocks and asphalt	10YR 4/1	--
		2	0.6 - 2ft	fine sand	2.5Y 5/3	--
		2 A	0.7 - 0.7ft	drum impasse	--	--
		3	2 - 3.5ft	medium sand	2.5Y 5/2	--
		4	3.5 - 5.5ft	wet clayey sand	2.5Y 5/1	--
		5	5.5 - 6.2ft	wet, medium sand	2.5Y 7/1	--

APPENDIX B (Cont.)

SUMMARY OF SUBSURFACE TESTING

Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Shovel Test	14	1	0 - 0.3ft	medium silty sand	10YR 4/1	--
		2	0.3 - 1.4ft	medium sand with pebbles		--
		3	1.4 - 1.4ft	cable impasse	--	--
Shovel Test	15	1	0 - 1.2ft	sand with small rocks and asphalt	10YR 4/1	--
		2	1.2 - 1.2ft	cinderblock impasse	--	--
Shovel Test	16	1	0 - 0.9ft	mottled silty sand	10YR 4/2, 10YR 6/3	--
		2	0.9 - 1ft	silty sand. A horizon	10YR 4/3	--
		3	1 - 4.7ft	silty sand, B horizon	10YR 6/4	--
		4	4.7 - 5ft	silty sand. with pebbles	10YR 6/4.	--
Shovel Test	17	1	0 - 1.1ft	silty sand	10YR 4/3	--
		2	1.1 - 2.5ft	medium sand	10YR 4/2	Historic Arms and Armor
						Historic Building Materials
						Historic Clothing Related
						Historic Glass Vessel Fragments
						Historic Unidentified
						Prehistoric Lithics
		3	2.5 - 4.3ft	wet, medium sand. with pebbles	2.5Y 6/3	--
		4	4.3 - 4.8ft	wet clayey sand	2.5Y 6/4	--
Shovel Test	18	1	0 - 0.9ft	sand	10YR 5/2	--
		2	0.9 - 3ft	sand.	10YR 6/3	--
		3	3 - 3.7ft	silty clay	10YR 3/1	--
		4	3.7 - 3.7ft	root impasse	--	--
Shovel Test	19	1	0 - 0.3ft	fine sand	10YR 3/1	--
		2	0.3 - 2ft	fine sand.	10YR 5/4	Historic Ceramic Vessel Sherds
						Historic Tools/Hardware
		3	2 - 4.3ft	clayey sand	2.5Y 4/1	Historic Building Materials
		4	4.3 - 5.3ft	silty sand with pebbles	2.5Y 3/1	--

APPENDIX B (Cont.)

SUMMARY OF SUBSURFACE TESTING

Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Shovel Test	20	1	0 - 1.6ft	sand loam	10YR 3/1	--
		2	1.6 - 1.6ft	cinder block impasse	--	--
Shovel Test	21	1	0 - 1.7ft	sand loam	10YR 3/1	--
		2	1.7 - 1.7ft	cinder block impasse	--	--
Shovel Test	22	1	0 - 0.6ft	sand loam	10YR 4/1	--
		2	0.6 - 0.9ft	sand	2.5Y 7/2	--
		3	0.9 - 1.3ft	sand.	2.5Y 4/2	--
		4	1.3 - 3.1ft	sand	10YR 6/4	--
		5	3.1 - 4.3ft	sand. with gravel	10YR 7/6	--
		6	4.3 - 5ft	medium sand with gravel	2.5Y 6/3	--
Shovel Test	23	1	0 - 1ft	sand loam	2.5Y 4/2	--
		2	1 - 2.9ft	sand	2.5Y 6/4	--
		3	2.9 - 3.2ft	silty sand	10YR 4/1	Historic Ceramic Vessel Sherds
						Historic Glass Vessel Fragments
		4	3.2 - 3.4ft	silty sand.	10YR 3/1	Historic Building Materials
		5	3.4 - 3.7ft	medium sand	10YR 5/1	--
		6	3.7 - 4.1ft	medium sand.	2.5Y 6/2	--
		7	4.1 - 4.7ft	mottled clay	2.5Y 6/1, 2.5Y 6/4	--
Shovel Test	24	1	0 - 1.9ft	sand loam	10YR 3/1	--
		2	1.9 - 1.9ft	cinder block impasse	--	--
Shovel Test	25	1	0 - 1.7ft	sand loam	10YR 3/1	--
		2	1.7 - 1.7ft	cinder block impasse	--	--
Shovel Test	26	1	0 - 1.8ft	sand loam	10YR 3/1	--
		2	1.8 - 1.8ft	cinder block impasse	--	--

APPENDIX B (Cont.)

SUMMARY OF SUBSURFACE TESTING

Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Shovel Test	27	1 A	0 - 0.7ft	silty sand	10YR 5/2	--
		1	0 - 0.6ft	sand loam	10YR 4/1	--
		2	0.6 - 1.4ft	sand	2.5Y 7/3	--
		2 A	0.7 - 1.4ft	medium sand	2.5Y 6/3	--
		3	1.4 - 1.6ft	sand.	2.5Y 5/4	--
		3 A	1.4 - 2.5ft	medium sand.	2.5Y 4/2	--
		4 A	2.5 - 3.2ft	silty sand	2.5Y 3/2	Historic Building Materials
		4	1.6 - 2.3ft			Historic Building Materials
		4 A	2.5 - 3.2ft			Historic Glass Vessel Fragments
		4	1.6 - 2.3ft			Historic Glass Vessel Fragments
		5	2.3 - 2.3ft	brick surface	--	--
		5 A	3.2 - 3.5ft	sand	2.5Y 4/1	Historic Tools/Hardware
		6 A	3.5 - 5ft	coarse sand with gravel	2.5Y 6/2	--
Shovel Test	28	1	0 - 0.6ft	sand loam	10YR 4/1	--
		2	0.6 - 2.3ft	sand	2.5Y 6/4	--
		3	2.3 - 2.7ft	sand loam with brick	10YR 3/1	--
		4	2.7 - 2.7ft	unidentified impasse	--	--
Shovel Test	29	1	0 - 0.6ft	sand loam with landscape materials	10YR 4/2	--
		2	0.6 - 1.9ft	sand loam.		--
		3	1.9 - 1.9ft	cinder block impasse	--	--
Shovel Test	30	1	0 - 0.5ft	sand loam	10YR 3/2	--
		2	0.5 - 1.35ft	sand loam.	10YR 4/2	--
		3	1.35 - 1.35ft	concrete foundation impasse	--	--
Shovel Test	31	1	0 - 1ft	sand loam	10YR 3/2	--
		2	1 - 1.7ft	sand loam.	10YR 4/2	--
		3	1.7 - 1.7ft	utility impasse	--	--

APPENDIX B (Cont.)

SUMMARY OF SUBSURFACE TESTING

Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Shovel Test	32	1	0 - 0.5ft	sand loam	10YR 3/2	--
		2	0.5 - 1.3ft	fine sand loam.	10YR 4/2	--
		3	1.3 - 1.3ft	concrete foundation impasse	--	--
Shovel Test	33	1	0 - 0.3ft	sand loam	10YR 2/2	--
		2	0.3 - 0.7ft	sand loam.	10YR 3/2	--
		3	0.7 - 1ft	mottled sand	10YR 4/2, 7.5YR 4/3	--
		4	1 - 1.2ft	medium sand	10YR 4/1	--
		5	1.2 - 1.35ft	medium sand.	2.5Y 6/6	--
		6	1.35 - 1.8ft	loamy sand	2.5Y 4/1	--
		7	1.8 - 1.9ft	loamy sand.	2.5Y 3/1	--
		8	1.9 - 2.5ft	fine to medium wet sand	2.5Y 6/2	--
		9	2.5 - 3.2ft	sand loam	2.5Y 2/1	--
		10	3.2 - 3.5ft	sand with heavy gravel	2.5Y 4/1	--
		11	3.5 - 3.5ft	gravel impasse	--	--
Shovel Test	34	1	0 - 0.45ft	loamy sand	2.5Y 3/1	--
		2	0.45 - 1.4ft	fine to medium wet sand	2.5Y 6/2	Historic Ceramic Vessel Sherds
		3	1.4 - 1.85ft	compact, fine sand.	2.5Y 7/3	Historic Ceramic Vessel Sherds
						Historic Commerce
						Historic Glass Vessel Fragments
		4	1.85 - 2.5ft	sand loam	10YR 4/2	--
		5	2.5 - 4ft	wet, coarse sand with heavy gravel	2.5Y 5/4	--
		6	4 - 5.2ft	wet, coarse sand. with heavy gravel	2.5Y 7/6	--
		7	5.2 - 5.5ft	wet, coarse sand	10YR 6/2	--
Shovel Test	35	1	0 - 0.35ft	sand loam	10YR 3/2	--
		2	0.35 - 1.5ft	sand loam.	10YR 4/1	--
		3	1.5 - 1.7ft	medium to coarse sand	2.5Y 7/2	--
		4	1.7 - 2.4ft	sand loam	2.5Y 3/3	--
		5	2.4 - 2.8ft	wet sand with gravel	2.5Y 5/4	--

APPENDIX B (Cont.)

SUMMARY OF SUBSURFACE TESTING

Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Excavation Unit	1	1	-	sand loam	10YR 3/1	--
		2		sand, cut by context 11	2.5Y 5/3	--
		3		silty sand, cut by context 11	10YR 4/1	Historic Building Materials
						Historic Ceramic Vessel Sherds
						Historic Glass Vessel Fragments
						Historic Tools/Hardware
						Prehistoric Lithics
		4		sand loam, cut context 11	2.5Y 4/1	Historic Agriculture/Equestrian
						Historic Building Materials
						Historic Ceramic Vessel Sherds
						Historic Clothing Related
						Historic Energy
						Historic Furnishings
						Historic Glass Vessel Fragments
						Historic Kitchen
						Historic Recreation/Activities
						Historic Tools/Hardware
						Historic Unidentified
						Indeterminate Fauna
						Prehistoric Ceramic Vessel Sherd
						Prehistoric Cobble-based Lithics
		5		wet sand with clay pockets and gravel	2.5Y 5/4	--
		10		mottled silty sand, fill of context 11	2.5Y 4/1, 2.5Y 5/4	Historic Ceramic Vessel Sherds
						Historic Glass Vessel Fragments
						Historic Recreation/Activities
						Historic Tools/Hardware
		11		filled by context 10, cuts context 2 and 3	--	--

APPENDIX B (Cont.)

SUMMARY OF SUBSURFACE TESTING

Unit Type	No.	Context	Depth	Soil Description/Interpretation	Munsell	Cultural Materials
Excavation Unit	2	1	-	sand loam	10YR 3/2	--
		2		mottled, medium sand	2.5Y 5/3, 10YR 4/2	Historic Glass Vessel Fragments
		3		medium sand.	10YR 4/1	Historic Ceramic Vessel Sherds
						Historic Glass Vessel Fragments
		4		silty clay loam	10YR 2/2	Historic Building Materials
						Historic Ceramic Vessel Sherds
						Historic Clothing Related
						Historic Glass Vessel Fragments
						Historic Tools/Hardware
						Indeterminate Unidentified
		5		wet clayey sand with gravel	5Y 6/1	--
		6		with possible log cribbing within context 4 & 5	--	--

*** Discarded**