

**DELAWARE DEPARTMENT OF
TRANSPORTATION**

ADVERTISEMENT FOR BIDS

Sealed proposals for the following contract will be received by the Department of Transportation, State of Delaware, in the New Castle Room, formerly known as Assembly Room 109 North in the DeLDOT Transportation Administration Center, 800 Bay Road, U.S. Route 113 South, Dover, DE until 2:00 P.M., Local Time, May 20, 2003 and thereafter be publicly opened:

Contract No. 22-500-12
TRAFFIC SIGNING, LIGHTING, SIGNALS AND SIGNAL CORRDIATION CONTRACT
COMPLETION DATE: ONE CALENDAR YEAR
Cost of Contract Documents: \$30.00

PROSPECTIVE BIDDERS NOTE:

THIS PROPOSAL INCORPORATES DeL DOT'S NEW STANDARD SPECIFICATION, SPECIFICATION FOR ROAD AND BRIDGE CONSTRUCTION, AUGUST 2001. IT IS IN THE BIDDERS' BEST INTEREST TO PURCHASE THE NEW STANDARD SPECIFICATION. THIS SPECIFICATION IS AVAILABLE FROM CONTRACT SERVICES FOR \$42.00. PAYMENT FOR THIS NEW STANDARD SPECIFICATION MUST BE MADE IN ADVANCE.

ELECTRONIC BIDDING

This project incorporates the new Windows version of the electronic bidding system Expedite 4.3b. Bidder wishing to use the electronic bidding option should request a bid file disk and installation disk. The new bid file disks are not compatible with the earlier version of Expedite 3.0.

PROSPECTIVE BIDDERS ARE ADVISED THAT THERE WILL BE A MANDATORY PRE-BID MEETING FOR THIS CONTRACT ON WEDNESDAY, APRIL 23, 2003, AT 10:00 AM IN THE DeL DOT ADMINISTRATION CENTER, 800 BAY ROAD, U.S. ROUTE 113 SOUTH, DOVER, DELAWARE, 19901.

50.00	L.F.	PORTLAND CEMENT CONCRETE CURB, TYPE 1
50.00	L.F.	PORTLAND CEMENT CONCRETE CURB, TYPE 2
25.00	L.F.	PORTLAND CEMENT CONCRETE CURB, TYPE 3
50.00	L.F.	INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 1
50.00	L.F.	INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 2
25.00	L.F.	INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 3
25.00	L.F.	INTEGRAL PORTLAND CEMENT CONCRETE CURB AND GUTTER, TYPE 4
250.00	S.F.	P.C.C. SIDEWALK, 4"
250.00	S.F.	P.C.C. SIDEWALK, 6"
5.00	EACH	CURB RAMP, TYPE 1
15.00	EACH	CURB RAMP, TYPE 2, 3 AND/OR 4
3.00	EACH	CURB RAMP, TYPE 5
200.00	S.F.	SIDEWALK SURFACE DETECTABLE WARNING SYSTEM
750.00	EA-DY	PLASTIC DRUMS
500.00	S.Y.	TOPSOIL, 6" DEPTH
500.00	S.Y.	TOPSOILING, 6" DEPTH
500.00	S.Y.	PERMANENT GRASS SEEDING, DRY GROUND
1000.00	S.Y.	PERMANENT GRASS SEEDING, SUBDIVISION
150.00	S.Y.	SOIL RETENTION BLANKET MULCH, TYPE 1
150.00	S.Y.	SOIL RETENTION BLANKET MULCH, TYPE 2
250.00	S.Y.	SOIL RETENTION BLANKET MULCH, TYPE 3
250.00	S.Y.	SOIL RETENTION BLANKET MULCH, TYPE 4
100.00	S.Y.	SOIL RETENTION BLANKET MULCH, TYPE 5
50.00	S.Y.	SOIL RETENTION BLANKET MULCH, TYPE 6
50.00	S.Y.	SOIL RETENTION BLANKET MULCH, TYPE 7
600.00	HOUR	FLAGGER, NEW CASTLE COUNTY, STATE
300.00	HOUR	FLAGGER, KENT COUNTY, STATE
300.00	HOUR	FLAGGER, SUSSEX COUNTY, STATE

180.00	HOUR	FLAGGER, NEW CASTLE COUNTY, STATE, OVERTIME
90.00	HOUR	FLAGGER, KENT COUNTY, STATE, OVERTIME
90.00	HOUR	FLAGGER, SUSSEX COUNTY, STATE, OVERTIME
180.00	EA-DY	ARROWPANELS, TYPE C
25.00	EA-DY	WARNING LIGHTS, TYPE A
50.00	EA-DY	WARNING LIGHTS , TYPE B
1800.00	EA-DY	TEMPORARY WARNING SIGNS
60.00	EA-DY	FURNISH AND MAINTAIN TRUCK-MOUNTED ATTENUATOR, TYPE II
5.00	EACH	CONDUIT JUNCTION WELL, TYPE 6, 17" X 30" PRECAST POLYMER CONCRETE
60.00	EACH	ADJUST OR REPAIR EXISTING CONDUIT JUNCTION WELL
20.00	EACH	CONDUIT JUNCTION WELL, TYPE 7, 36" X 60" PRECAST POLYMER CONCRETE
5.00	EACH	CONDUIT JUNCTION WELL, TYPE 8, 30" X 48" PRECAST POLYMER CONCRETE
5.00	EACH	CONDUIT JUNCTION WELL, TYPE 10, 24" X 36" PRECAST POLYMER CONCRETE
60.00	EACH	SUPPLY OF SPARE FRAME AND LID FOR JUNCTION WELL, TYPES 1, 2 AND 3
30.00	EACH	SUPPLY OF SPARE FRAME AND LID FOR JUNCTION WELL, TYPE 4
5.00	EACH	SUPPLY OF SPARE FRAME AND LID FOR JUNCTION WELL, TYPE 5
5.00	EACH	SUPPLY OF SPARE PRECAST POLYMER CONCRETE COVER FOR JUNCTION WELL, TYPE 6
12.00	EACH	SUPPLY OF SPARE PRECAST POLYMER CONCRETE COVER FOR JUNCTION WELL, TYPE 7
5.00	EACH	SUPPLY OF SPARE PRECAST POLYMER CONCRETE COVER FOR JUNCTION WELL, TYPE 8
5.00	EACH	SUPPLY OF SPARE PRECAST POLYMER CONCRETE COVER FOR JUNCTION WELL, TYPE 10
10.00	EACH	INSTALLATION OF SPARE JUNCTION WELL FRAME AND LID OR PRECAST POLYMER CONCRETE COVER
5.00	EACH	RELOCATION OF EXISTING JUNCTION WELL
100.00	EACH	CONDUIT JUNCTION WELL, TYPE 1, 20" X 20" PRECAST CONCRETE
5.00	EACH	CONDUIT JUNCTION WELL, TYPE 2,
5.00	EACH	CONDUIT JUNCTION WELL, TYPE 3
112.00	EACH	CONDUIT JUNCTION WELL, TYPE 4, 20" X 42 1/2" PRECAST CONCRETE
5.00	EACH	CONDUIT JUNCTION WELL, TYPE 5, 24" X 16" PRECAST CONCRETE
10.00	EACH	REMOVAL OF EXISTING JUNCTION WELL
105000.00	L.F.	SUPPLY OF 4" SDR-11 HDPE CONDUIT
38000.00	L.F.	SUPPLY OF 4" SDR-13.5 HDPE CONDUIT
250.00	L.F.	SUPPLY OF 3" SCHEDULE 80 PVC CONDUIT
300.00	L.F.	SUPPLY OF 4" SCHEDULE 40 PVC CONDUIT
300.00	L.F.	SUPPLY OF 4" SCHEDULE 80 PVC CONDUIT
400.00	L.F.	SUPPLY OF 4" GALVANIZED STEEL CONDUIT
250.00	L.F.	SUPPLY OF 3" GALVANIZED STEEL CONDUIT
7500.00	L.F.	SUPPLY OF 2 1/2" GALVANIZED STEEL CONDUIT
5000.00	L.F.	SUPPLY OF 2" GALVANIZED STEEL CONDUIT
500.00	L.F.	SUPPLY OF 1 1/2" GALVANIZED STEEL CONDUIT
50.00	L.F.	SUPPLY OF 1" GALVANIZED STEEL CONDUIT
50.00	L.F.	SUPPLY OF 3/4" GALVANIZED STEEL CONDUIT
50.00	L.F.	SUPPLY OF 3" SCHEDULE 40 PVC CONDUIT
50.00	L.F.	SUPPLY OF 2 1/2" SCHEDULE 40 PVC CONDUIT
50.00	L.F.	SUPPLY OF 2" SCHEDULE 40 PVC CONDUIT
50.00	L.F.	SUPPLY OF 1 1/2" SCHEDULE 40 PVC CONDUIT
500.00	L.F.	SUPPLY OF 3/4" ALUMINUN RIGID CONDUIT
75.00	L.F.	SUPPLY OF 3/4" FLEXIBLE METALLIC- LIQUIDTIGHT CONDUIT
100.00	L.F.	SUPPLY OF 1 1/2" FLEXIBLE METALLIC- LIQUIDTIGHT CONDUIT
50.00	L.F.	SUPPLY OF 2" NONMETALLIC POLE RISER SHIELD
50.00	L.F.	SUPPLY OF 3" NONMETALLIC POLE RISER SHIELD
50.00	L.F.	SUPPLY OF 4" NONMETALLIC POLE RISER SHIELD
37500.00	L.F.	INSTALLATION OF CONDUIT UNDER EXISTING PAVEMENT-DIRECTIONAL BORE
500.00	L.F.	INSTALLATION OF CONDUIT UNDER EXISTING PAVEMENT-OPEN CUT
105000.00	L.F.	INSTALLATION OF CONDUIT IN UNPAVED TRENCH
250.00	L.F.	INSTALLATION OF CONDUIT ON WOOD POLE
125.00	L.F.	INSTALLATION OF CONDUIT ON STRUCTURE
2500.00	L.F.	INSTALLATION OF ADDITIONAL CONDUITS IN TRENCH OR OPEN CUT PAVEMENT
2000.00	L.F.	INSTALLATION OF ADDITIONAL CONDUITS IN DIRECTIONAL BORE

1000.00	L.F.	INSTALLATION OF BRIDGE-MOUNTED CONDUIT FROM WORK AREA ABOVE BRIDGE DECK
250.00	L.F.	INSTALLATION OF BRIDGE-MOUNTED CONDUIT FROM WORK AREA BELOW BRIDGE DECK
500.00	L.F.	REMOVAL OF CONDUIT FROM WOOD POLE
572000.00	L.F.	SUPPLY OF INNER DUCT, 1" CORRUGATED
2000.00	L.F.	SUPPLY OF INNER DUCT, 1" RIBBED
500.00	L.F.	SUPPLY OF INNER DUCT, 1 1/4" CORRUGATED
500.00	L.F.	SUPPLY OF INNER DUCT, 1 1/4" RIBBED
143000.00	L.F.	INSTALLATION OF FIRST DUCT IN NEW CONDUIT
429000.00	L.F.	INSTALLATION OF EACH ADDITIONAL DUCT IN NEW CONDUIT
2500.00	L.F.	INSTALLATION OF FIRST DUCT IN EXISTING CONDUIT
7500.00	L.F.	INSTALLATION OF EACH ADDITIONAL DUCT IN EXISTING CONDUIT
50.00	EACH	INSTALLATION OF DOWN GUY AND ANCHOR
10000.00	L.F.	SUPPLY OF SPAN WIRE, 7/16"
100.00	L.F.	SUPPLY OF MESSENGER WIRE, 3/8"
25000.00	L.F.	SUPPLY OF MESSENGER WIRE, 1/4"
50.00	EACH	INSTALLATION OF STEEL POLE (EQUAL TO OR GREATER THAN 17' AND LESS THAN 40')
5.00	EACH	INSTALLATION OF STEEL POLE (EQUAL TO OR GREATER THAN 40')
17.00	EACH	SHEETING FOR POLE BASE
75.00	EA-DY	FURNISH AND MAINTAIN PORTABLE LIGHT ASSEMBLY
135.00	C.F.	POLE BASE EXTENSION
17.00	EACH	INSTALLATION OF WOOD POLE
17.00	EACH	REMOVAL OF WOOD POLE
12.00	EACH	ASSEMBLY AND INSTALLATION OF LIGHTING MAST ARM
5.00	EACH	ASSEMBLY AND INSTALLATION OF CAMERA MOUNT
100.00	EACH	SUPPLY AND INSTALLATION OF INTERMEDIATE MESSENGER WIRE ATTACHMENT
25.00	EACH	SUPPLY AND INSTALLATION OF ANGULAR INTERMEDIATE MESSENGER WIRE ATTACHMENT
50.00	EACH	SUPPLY AND INSTALLATION OF DEAD END MESSENGER WIRE ATTACHMENT
20.00	EACH	ADJUSTMENT OF SPAN OR MESSENGER WIRE
5.00	EACH	RELOCATION OF MESSENGER ATTACHMENT
12.00	EACH	TRANSFER OF EXISTING MESSENGER ATTACHMENT
5500.00	L.F.	REMOVAL OF MESSENGER WIRE, CABLE AND HARDWARE
5.00	EACH	INSTALLATION OF SIDEWALK GUY AND ANCHOR
3.00	EACH	RELOCATION OF DOWN GUY AND ANCHOR OR SIDEWALK GUY AND ANCHOR
3.00	EACH	REMOVAL OF DOWN GUY AND ANCHOR
3.00	EACH	INSTALLATION OF OVERHEAD GUY
3.00	EACH	RELOCATION OF OVERHEAD GUY
3.00	EACH	REMOVAL OF OVERHEAD GUY
5.00	EACH	ELECTRIC SERVICE ON WOOD POLE
5.00	EACH	ELECTRIC SERVICE ON METAL POLE
5.00	EACH	ELECTRIC SERVICE ON PEDESTAL
20.00	EACH	ELECTRIC SERVICE ON PEDESTAL WITH SERVICE RISER
25.00	EACH	REMOVAL OF ELECTRIC SERVICE ON WOOD OR METAL POLE
37500.00	L.F.	SUPPLY OF 4/#18 SHIELDED LEAD-IN CABLE
4000.00	L.F.	SUPPLY OF #2 THWN STRANDED COPPER
600.00	L.F.	SUPPLY OF #4 THWN STRANDED COPPER
600.00	L.F.	SUPPLY OF #6 THWN STRANDED COPPER
1200.00	L.F.	SUPPLY OF #8 THWN STRANDED COPPER
600.00	L.F.	SUPPLY OF #10 THWN STRANDED COPPER
600.00	L.F.	SUPPLY OF #14 THWN STRANDED COPPER
250.00	L.F.	SUPPLY OF #6 BARE SOLID COPPER
1250.00	L.F.	SUPPLY OF 8/2 UF W/GROUND
1250.00	L.F.	SUPPLY OF 8/3 UF W/GROUND
750.00	L.F.	SUPPLY OF #6 TRIPLEX ALUMINUM SERVICE CABLE
750.00	L.F.	SUPPLY OF #2 URD ALUMINUM SERVICE CABLE
750.00	L.F.	SUPPLY OF 4/0 URD ALUMINUM SERVICE CABLE
50.00	EACH	REMOVAL OF STEEL POLE (EQUAL TO OR GREATER THAN 17' AND LESS THAN 40')
5.00	EACH	REMOVAL OF STEEL POLE (EQUAL TO OR GREATER THEN 40')

25.00	EACH	REMOVAL OF PEDESTAL POLE
10.00	EACH	SUPPLY AND INSTALLATION OF WEATHERHEAD, 1 1/2"
20.00	EACH	SUPPLY AND INSTALLATION OF WEATHERHEAD, 2"
20.00	EACH	SUPPLY AND INSTALLATION OF WEATHERHEAD, 2 1/2"
5.00	EACH	REMOVAL OF SIDEWALK GUY AND ANCHOR
50.00	EACH	SPAN WIRE ATTACHMENT BETWEEN POLES
30.00	EACH	REMOVAL OF SPAN WIRE ATTACHMENT
10.00	EACH	ASSEMBLY OF ONE-WAY, 1 FACE SIGNAL HEAD W/ SPAN BRACKET
3.00	EACH	ASSEMBLY OF MULTI-WAY, 1 FACE SIGNAL HEAD W/ SPAN BRACKET
10.00	EACH	ASSEMBLY OF ONE-WAY, 2 FACE SIGNAL HEAD W/ SPAN BRACKET
188.00	EACH	ASSEMBLY OF ONE-WAY, 3 FACE SIGNAL HEAD W/ SPAN BRACKET
5.00	EACH	ASSEMBLY OF MULTI-WAY, 3 FACE SIGNAL HEAD W/ SPAN BRACKET
3.00	EACH	ASSEMBLY OF ONE-WAY, 4 FACE SIGNAL HEAD W/ SPAN BRACKET
87.00	EACH	ASSEMBLY OF ONE-WAY, "T" OR INVERTED "T" OR 5 FACE SIGNAL HEAD W/ SPAN BRACKET
5.00	EACH	ASSEMBLY OF ONE-WAY, 1 FACE SIGNAL HEAD W/ MAST ARM BRACKET
3.00	EACH	ASSEMBLY OF MULTI-WAY, 1-3 FACE SIGNAL HEAD W/ MAST ARM BRACKET
12.00	EACH	ASSEMBLY OF ONE-WAY, 2 FACE SIGNAL HEAD W/ MAST ARM BRACKET
47.00	EACH	ASSEMBLY OF ONE-WAY, 3 FACE SIGNAL HEAD W/ MAST ARM BRACKET
3.00	EACH	ASSEMBLY OF ONE-WAY, 4 FACE SIGNAL HEAD W/ MAST ARM BRACKET
22.00	EACH	ASSEMBLY OF ONE-WAY, "T" OR INVERTED "T" OR 5 FACE SIGNAL HEAD W/ MAST ARM BRACKET
100.00	EACH	ASSEMBLY OF PEDESTRIAN SIGNAL HEAD
290.00	EACH	INSTALLATION OF ONE-WAY SIGNAL HEAD SPAN MOUNT
96.50	EACH	INSTALLATION OF MULTI-WAY SIGNAL HEAD SPAN MOUNT
69.00	EACH	INSTALLATION OF ONE-WAY SIGNAL HEAD MAST ARM MOUNT
23.00	EACH	INSTALLATION OF MULTI-WAY SIGNAL HEAD MAST ARM MOUNT
250.00	EACH	INSTALLATION OF PEDESTRIAN HEAD
100.00	EACH	REMOVAL OF SIGNAL HEAD FROM SPAN WIRE OR MAST ARM
50.00	EACH	REMOVAL OF TRAFFIC OR PEDESTRIAN SIGNAL HEAD FROM POLE OR PEDESTAL
200.00	EACH	REALIGN OR SLIDE EXISTING SIGNAL HEAD
100.00	EACH	INSTALLATION OF PEDESTRIAN BUTTON ON WOOD OR METAL POLE
7500.00	L.F.	SUPPLY OF 6 PAIR COMMUNICATIONS CABLE
5000.00	L.F.	SUPPLY OF 12 PAIR COMMUNICATIONS CABLE
500.00	L.F.	SUPPLY OF 18 PAIR COMMUNICATIONS CABLE
500.00	L.F.	SUPPLY OF 25 PAIR COMMUNICATIONS CABLE
500.00	L.F.	SUPPLY OF 50 PAIR COMMUNICATIONS CABLE
5000.00	L.F.	SUPPLY OF 4/14 TRAFFIC CONTROL CABLE
5000.00	L.F.	SUPPLY OF 9/14 TRAFFIC CONTROL CABLE
750.00	L.F.	SUPPLY OF 16/14 TRAFFIC CONTROL CABLE
2500.00	L.F.	SUPPLY OF 21/14 TRAFFIC CONTROL CABLE
22500.00	L.F.	SUPPLY AND INSTALLATION OF LOOP DETECTOR WIRE
100.00	EACH	ASSEMBLY AND INSTALLATION OF EMERGENCY PREEMPTION RECEIVER
250.00	EACH	UNDERGROUND DETECTOR SPLICE
25.00	EACH	TRIPLEX SPLICE
725.00	EACH	SPLICING OF ELECTRICAL CABLE, ABOVE GROUND
30.00	EACH	SPLICING OF ELECTRICAL CABLE, UNDERGROUND
10000.00	L.F.	INSTALLATION OR REMOVAL OF ELECTRICAL CABLE ON SPAN WIRE
150000.00	L.F.	INSTALLATION OF FIRST CABLE IN EXISTING EMPTY CONDUIT
90000.00	L.F.	INSTALLATION OF EACH ADDITIONAL CABLE IN EXISTING EMPTY CONDUIT
7500.00	L.F.	INSTALLATION OF FIRST CABLE IN CONDUIT W/ EXISTING WIRE OR CABLE
6000.00	L.F.	INSTALLATION OF EACH ADDITIONAL CABLE IN CONDUIT W/ EXISTING WIRE OR CABLE
200.00	EACH	INSTALLATION OF CABLE IN STEEL POLE W/ EXISTING WEATHERHEAD
30000.00	L.F.	REMOVAL OF CABLE FROM CONDUIT OR STEEL POLE
25000.00	L.F.	INSTALLATION OF CABLE ON BARE MESSENGER
5000.00	L.F.	INSTALLATION OF CABLE ON MESSENGER W/ EXISTING CABLE
5000.00	L.F.	INSTALLATION OF EACH ADDITIONAL CABLE ON BARE MESSENGER
5000.00	L.F.	INSTALLATION OF EACH ADDITIONAL CABLE ON MESSENGER W/ EXISTING CABLE

25000.00	L.F.	REMOVAL OF CABLE FROM MESSENGER
50.00	EACH	SUPPLY OF FIBER OPTIC CABLE STORAGE LOOP
50.00	EACH	INSTALLATION OF FIBER OPTIC CABLE STORAGE LOOP
50.00	EACH	SUPPLY OF SPLICE ENCLOSURE CASE
30.00	EACH	SUPPLY OF SPLICE ENCLOSURE AERIAL HANGER BRACKET KIT
50.00	EACH	SUPPLY OF SPLICE ENCLOSURE GASKET
20.00	EACH	SUPPLY OF SPLICE ENCLOSURE CABLE ADDITION KIT
50.00	EACH	INSTALLATION OF NEW SPLICE ENCLOSURE W/ PREPARATION OF INITIAL TWO CABLE ENDS
30.00	EACH	INSTALLATION OF NEW SPLICE ENCLOSURE PREPARATION OF EACH ADDITIONAL CABLE END
5.00	EACH	REENTRY OF NON-ENCAPSULATED, GASKETED SPLICE ENCLOSURE
5.00	EACH	INSTALLATION OF LIMITED ACCESS ENCLOSURE ON ACTIVE CABLE
150.00	EACH	SUPPLY OF SPLICE TRAY
5000.00	EACH	SPLICING OF FIBER
5.00	EACH	SUPPLY OF WALL MOUNTED FIBER TERMINATION UNIT
5.00	EACH	INSTALLATION OF WALL MOUNTED FIBER TERMINATION UNIT
5.00	EACH	SUPPLY OF RACK MOUNTED FIBER TERMINATION UNIT
5.00	EACH	INSTALLATION OF RACK MOUNTED FIBER TERMINATION UNIT
20.00	EACH	PREPARATION OF FIBER END FOR WALL OR RACK MOUNTED UNIT
20.00	EACH	INSTALLATION OR REMOVAL OF TRAFFIC SIGNAL MAST ARM
12.00	EACH	INSTALLATION OR REMOVAL OF LIGHTING POLE W/ MAST ARM
12.00	EACH	INSTALLATION OR REMOVAL OF LIGHTING MAST ARM
12.00	EACH	INSTALLATION OF LUMINAIRE
12.00	EACH	REMOVAL OF LUMINAIRE
25.00	C.Y.	REMOVAL OF CONCRETE POLE BASES AND CABINET FOUNDATIONS
50.00	EACH	INSTALLATION OF PEDESTAL POLE
10.00	EACH	SUPPLY AND INSTALLATION OF WEATHERHEAD, 3"
10.00	EACH	ASSEMBLY OF ONE-WAY, 3 FACE SIGNAL HEAD ON PEDESTAL POLE
10.00	EACH	ASSEMBLY OF MULTI-WAY, 3 FACE SIGNAL HEAD ON PEDESTAL POLE
10.00	EACH	ASSEMBLY OF ONE-WAY, 3 FACE SIGNAL HEAD WITH STAND OFF BRACKET
10.00	EACH	ASSEMBLY OF MULTI-WAY, 3 FACE SIGNAL HEAD WITH STAND OFF BRACKET
10.00	EACH	INSTALLATION OF ONE-WAY SIGNAL HEAD ON PEDESTAL POLE
10.00	EACH	INSTALLATION OF MULTI-WAY SIGNAL HEAD ON PEDESTAL POLE
10.00	EACH	INSTALLATION OF ONE-WAY SIGNAL HEAD WITH STAND OFF BRACKET
10.00	EACH	INSTALLATION OF MULTI-WAY SIGNAL HEAD WITH STAND OFF BRACKET
10.00	EACH	CUTTING OF WOOD POLE
12.00	EACH	TRANSFER OF SPAN WIRE
5.00	EACH	POLE BASE, TYPE 1
12.00	EACH	POLE BASE, TYPE 2
2.00	EACH	POLE BASE, TYPE 2A
2.00	EACH	POLE BASE, TYPE 2B
25.00	EACH	POLE BASE, TYPE 3
2.00	EACH	POLE BASE, TYPE 3A
6.00	EACH	POLE BASE, TYPE 3B
50.00	EACH	POLE BASE, TYPE 4
2.00	EACH	POLE BASE, TYPE 5
2.00	EACH	POLE BASE, TYPE 6
7.00	EACH	INSTALLATION OR REMOVAL OF POLE OR POST MOUNTED CABINET
17.00	EACH	INSTALLATION OR REMOVAL OF BASE OR PAD MOUNTED CABINET
25.00	EACH	CABINET BASE
10.00	EACH	INSTALLATION OR REMOVAL OF BREAKAWAY I-BEAM SIGN MOUNTS
2.00	EACH	INSTALLATION OR REMOVAL OF SIGN ON OVER HIGHWAY STRUCTURE
5.00	EACH	INSTALLATION OR REMOVAL OF SIGN ON ROADSIDE I-BEAM STRUCTURE
50.00	EACH	INSTALLATION OR REMOVAL OF SIGN ON SPAN WIRE OR MAST ARM
7.00	EACH	INSTALLATION OF SIGN OVERLAY 16 S.F. OR LESS
12.00	EACH	INSTALLATION OF SIGN OVERLAY OVER 16 S.F.
5.00	EACH	REINFORCED CONCRETE MASONRY SIGN FOUNDATION

150.00 S.Y. REMOVAL OF EXISTING PORTLAND CEMENT CONCRETE PAVEMENT, CURB, SIDEWALK, ETC.
125.00 HOUR TRAFFIC OFFICERS
L.S. PERFORMANCE AND PAYMENT BOND

Plans, Specifications, and Bidding Proposals may be obtained from:

Scott S. Gottfried, Competitively Contracts Coordinator
Contract Administration
Delaware Department of Transportation
P.O. Box 778
Dover, DE 19903
(302) 760-2030
FAX (302) 739-2254

Checks should be made payable to Department of Transportation. Additional copies of Proposals only may be obtained at a cost of \$30.00 per copy. Cost of Contract Documents is not refundable. Contract Documents cannot be returned once ordered.

The Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, creed, color, sex, or national origin in consideration for an award.

When it is in the best interest of the State, DelDOT may extend the time and place for the opening of bids from that described above, on not less than two calendar days' notice by certified delivery, facsimile transmission, or by other verifiable electronic means to those bidders who obtained copies of the Plans, Specifications, and Proposals, or contract descriptions.

Each proposal must be accompanied by a deposit of either surety bond or security for a sum equal to at least 10% of the bid.

Department of Transportation
State of Delaware
By: Nathan Hayward III, Secretary
Dover, Delaware
March 31, 2003

