

Striping Item Usage Guidelines – Projects Using 2020 Standard Specifications

Temporary Pavement Markings		
Marking Description	Hot-Mix Surface	Concrete Surface
<p>Temporary Pavement Markings</p> <p>Preferred material for this usage is paint.</p>	<p>817003 – Temporary Markings, Paint, 4" (LF) 817004 – Temporary Markings, Paint, Symbol/Legend (SF)</p>	<p>817003 – Temporary Markings, Paint, 4" (LF) 817004 – Temporary Markings, Paint, Symbol/Legend (SF)</p>
<p>Temporary Pavement Markings</p> <p>Tape is to be used when temporary markings are placed on final hot-mix surface, but are not in the final marking configuration. May also be used on concrete surfaces.</p>	<p>817009 – Temporary Markings, Tape, 4" (LF) 817010 – Temporary Markings, Tape, Words/Symbols (SF)</p>	<p>817009 – Temporary Markings, Tape, 4" (LF) 817010 – Temporary Markings, Tape, Words/Symbols (SF)</p>
<p>Blackout Tape</p> <p>Used to temporarily cover 4" or 5" markings as part of an MOT phase. Tape must be approximately the same color as the pavement surface.</p>	<p>817008 – Blackout Tape (LF)</p>	<p>Do not use blackout tape on concrete roadways to cover existing markings.</p>
<p>Blackout Tape</p> <p>Used to temporarily cover 6" markings as part of an MOT phase. Tape must be approximately the same color as the pavement surface.</p>	<p>817008 – Blackout Tape (LF)</p>	<p>Do not use blackout tape on concrete roadways to cover existing markings.</p>

Striping Item Usage Guidelines – Projects Using 2020 Standard Specifications

Permanent Pavement Markings – Conventional Roads		
Marking Description	Hot-Mix Surface	Concrete Surface
Arrows	817002 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
Center Line	817042 – Permanent Pavement Striping, Epoxy Resin Paint, Yellow, 6" (LF)	817042 – Permanent Pavement Striping, Epoxy Resin Paint, Yellow, 6" (LF)
Channelizing Line (Gore Areas)	817043 – Permanent Pavement Striping, Epoxy Resin Paint, White, 12" (LF)	817043 – Permanent Pavement Striping, Epoxy Resin Paint, White, 12" (LF)
Chevron and Crosshatch	817006 – Permanent Pavement Striping, Alkyd-Thermoplastic, 12" (LF)	817007 – Retroreflective Preformed Patterned Markings, 12" (LF)
Crosswalks	817002 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
Edge Line (Normal Width)	817042 – Permanent Pavement Striping, Epoxy Resin Paint, White, 6" (LF)	817042 – Permanent Pavement Striping, Epoxy Resin Paint, White, 6" (LF) and 817018 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 3" (Along left-hand side of white line only; closest to traffic) (LF)
Stop Lines	817002 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
Symbol – Bike (Includes Arrow)	817015 – Preformed Retroreflective Thermoplastic Markings, Bike Symbol (EACH)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
Symbol - Handicap	817017 – Preformed Retroreflective Thermoplastic Markings, Handicap Symbol (EACH)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)

Striping Item Usage Guidelines – Projects Using 2020 Standard Specifications

Permanent Pavement Markings – Conventional Roads		
Marking Description	Hot-Mix Surface	Concrete Surface
Symbol - Pedestrian	817016 – Preformed Retroreflective Thermoplastic Markings, Pedestrian Symbol (EACH)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
2' Line / 6' Gap Dotted Pattern (Except Turning Tracks)	817042 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 6" (LF)	817042 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 6" (LF) and 817024 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 9" (Under 2' <u>White</u> Line Only) (LF)
2' Line / 6' Gap Dotted Pattern (Ramps and Lane Drops)	817043 – Permanent Pavement Striping, Epoxy Resin Paint, White, 12" (LF)	817043 – Permanent Pavement Striping, Epoxy Resin Paint, White, 12" (LF)
2' Line / 6' Gap Dotted Pattern (Turning Tracks)	817038 – Permanent Pavement Striping, Alkyd-Thermoplastic, White/Yellow, 6" (LF)	817034 – Retroreflective Preformed Patterned Markings, 9" (Item includes both white and black markings) (LF)
10' Line / 30' Gap Broken Pattern	817042 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 6" (LF)	817042 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 6" (LF) and 817044 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 6" (In advance of 10' <u>White</u> Line Only) (LF)

Striping Item Usage Guidelines – Projects Using 2020 Standard Specifications

Permanent Pavement Markings – Interstates, Expressways and Freeways		
Marking Description	Hot-Mix Surface	Concrete Surface
Arrows	817002 – Permanent Pavement Striping, Symbol/Legend, Alkyd-Thermoplastic (SF)	817012 – Retroreflective Preformed Patterned Markings, Symbol/Legend (SF)
Channelizing Line (Gore Areas)	817043 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 12" (LF)	817043 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 12" (LF)
Chevron and Crosshatch	817006 – Permanent Pavement Striping, Alkyd-Thermoplastic, 12" (LF)	817007 – Retroreflective Preformed Patterned Markings, 12" (LF)
Edge Lines - Left and Right (Normal Width)	817042 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 6" (LF)	817042 – Permanent Pavement Striping, Epoxy Resin Paint, White/Yellow, 6" (LF) and 817018 – Permanent Pavement Striping, Epoxy Resin Paint, Black, 3" (Along left-hand side of white line only; closest to traffic) (LF)
3' Line / 9' Gap Dotted Pattern (Lane Reductions Only)	817050 – Retroreflective Preformed Patterned Markings, 6" (For inlaid applications only) (LF)	817052 – Retroreflective Preformed Patterned Markings, 9" (Item includes both white and black markings) (LF)

Striping Item Usage Guidelines – Projects Using 2020 Standard Specifications

Permanent Pavement Markings – Interstates, Expressways and Freeways		
Marking Description	Hot-Mix Surface	Concrete Surface
3' Line / 9' Gap Dotted Pattern (Ramps)	817051 – Retroreflective Preformed Patterned Markings, 12" (For inlaid applications only) (LF)	817053 – Retroreflective Preformed Patterned Markings, 12" (LF)
10' Line / 30' Gap Broken Pattern	817050 – Retroreflective Preformed Patterned Markings, 6" (For inlaid applications only) (LF)	817052 – Retroreflective Preformed Patterned Markings, 9" (Item includes both white and black markings) (LF)