

APPENDIX VI

JONES HOUSE SITE, SUMMARY OF IDENTIFIED FEATURES

**APPENDIX VI
JONES HOUSE SITE, SUMMARY OF IDENTIFIED FEATURES**

Feature Number	Midpoint Coordinate		Dimension	Description/Interpretation
	North	West	Length x Width x Depth	
Structure I				
282.00	150.00	180.00	40 x 20	Structure I
210.00	180.00	200.90	3.0 x 1.7 x 1.0	septic tank
268.00	151.70	210.40	2.3 x 1.1 x 0.2	amorphous; part of Feature 273
273.00	151.70	210.40	not excavated	crawl space associated with Feature 282
286.00	151.30	217.00	2.2 x 1.1 x 0.3	associated with Structure I crawl space
Features Related to Structure II				
245.00	132.60	190.50	1.7 x 1.6 x 1.2	southeast corner post
247.00	135.00	190.60	1.5 x 1.3 x 0.6	possible rodent disturbance under Structure 2
250.00	139.50	197.10	2.8 x 2.0 x 0.7	possible rodent disturbance under Structure 2
251.00	133.00	194.70	1.4 x 1.0 x 0.5	possible post west wall
252.00	127.50	201.20	0.8 x 0.7 x 1.6	southwest corner post
253.00	130.00	203.80	1.4 x 1.2 x 1.1	post west wall
255.00	132.00	205.70	1.4 x 1.4 x 0.3	post west wall
256.00	138.20	208.70	2.2 x 1.1 x 0.8	post southwest wall
257.00	137.00	212.00	0.9 x 0.9	post west wall
259.00	136.10	214.60	1.2 x 1.3 x 1.5	post west wall
260.00	135.40	215.50	0.6 x 0.8 x 0.3	post west wall
261.00	143.00	208.50	1.0 x 0.8 x 0.5	post west wall
262.00	144.00	209.00	1.3 x 0.8 x 1.1	post west wall
263.00	146.50	209.50	1.0 x 0.7 x 0.3	rectangular northwest corner post
265.00	140.30	213.70	1.4 x 1.3 x 0.9	circular southwest corner post
267.00	150.20	207.80	1.2 x 1.1 x 1.3	north wall post
269.00	149.00	215.00	2.2 x 2.6 x 2.7	northwest corner post
274.00	149.70	199.80	1.0 x 1.3 x 1.4	possible post associated with Structure 2
275.00	148.10	298.30	1.2 x 1.5 x 1.0	possible post associated with Structure 2
276.00	149.40	194.70	0.8 x 0.9 x 0.4	possible post associated with Structure 2
277.00	148.00	195.00	1.6 x 1.5 x 0.3	possible post associated with Structure 2
278.00 A	149.60	190.50	1.1 x 1.3 x 1.0	post associated with Structure 2
278.00 B	147.80	190.80	1.1 x 1.4 x 1.2	post associated with Structure 2
278.00 C	147.80	190.80	5.4 x 2.0 x 1.2	post associated with Structure 2
278.00 D	147.80	190.80	5.4 x 2.0 x 1.2	feature associated with Structure 2
283.00	139.60	213.00	1.4 x 1.3 x 0.8	southwest corner post
285.00	120.00	220.00	1.2 x 1.1 x 0.7	post west wall
287.00	133.40	204.50	4.2 x 1.0	post west wall
295.00	139.20	193.70	1.4 x 2.0	possible rodent disturbance under Structure 2
296.00	139.30	192.40	1.6 x 1.5 x 0.9	possible rodent disturbance under Structure 2
297.00	140.50	185.80	7.0 x 2.4 x 1.2	possible rodent disturbance under Structure 2
298.00	141.50	194.90	2.0 x 3.2 x 1.0	possible rodent disturbance under Structure 2
299.00	137.70	193.50	1.2 x 2.1 x 0.8	possible rodent disturbance under Structure 2
Outbuilding II				
120.00	204.00	240.00	20 x ?	concrete footer with concrete blocks; Outbuilding II
Outbuilding I Post Features				
90.00	221.20	266.70	0.3 x 0.5 x 2.2	post - Outbuilding I
91.00	222.00	260.00	0.3 x 0.5 x 2.7	post - Outbuilding I
92.00	224.00	252.00	0.3 x 0.5	post - Outbuilding I
93.00	224.00	244.00	0.3 x 0.5	post - Outbuilding I

APPENDIX VI

(cont.)

Feature Number	Midpoint North	Coordinate West	Dimension Length x Width x Depth	Description/Interpretation
94.00	223.00	237.40	0.3 x 0.5	post - Outbuilding I
Features Possibly Related to the Blacksmith Shop				
201.00	128.00	164.00	5.5 x 2.0 x 3.0	possible anvil base
202.00	135.00	168.00	5.8 x 2.5	possible anvil base
231.00	122.80	163.20	3.0 x 3.5 x 3.0	circular pit; possible quenching pit
232.00	127.40	171.10	1.8 x 1.6 x 0.4	circular post; possibly associated with smith shop
239.00	128.00	178.50	1.7 x 1.4 x 1.0	square post hole possibly associated with smith shop
240.00	131.00	182.00	3.0 x 0.8 x 0.3	rectangular sill ? possibly associated with smith shop
242.00	126.00	184.00	1.1 x 1.1 x 0.3	circular post possibly associated with smith shop
243.00	127.00	188.00	6.5 x 2.0 x 0.2	rectangular sill ? possibly associated with smith shop
246.00	130.00	184.00	5.5 x 2.5 x 0.8	rectangular sill?
280.00	128.20	167.30	0.4 x 0.4 x 0.9	square post possibly associated with smith shop
300.00	128.20	180.20	1.1 x 0.9 x 0.2	square post hole possibly associated with smith shop
Fenceline A Post Features				
7.00	216.00	450.00	1.6 x 1.5	circular post hole
9.00	216.50	436.20	1.2 x 0.6 x 1.5	circular post hole
10.00	217.00	433.00	1.5 x 1.7	square post hole
14.00	217.00	416.00	1.1 x 1.2	square post hole
15.00	217.00	424.00	2.3 x 3.0	irregular possible post hole
18.00	216.30	425.40	1.2 x 0.8 x 1.0	square post hole
19.00	216.30	425.40	1.7 x 1.6 x 0.8	square post hole
20.00	217.00	410.00	1.0 x 1.7	rectangular post hole
26.00	217.00	435.00	0.8 x 0.8	circular post hole in fenceline
27.00	215.40	234.40	0.9 x 0.8	circular post hole
30.00	217.00	397.00	0.8 x 0.8	square post hole
31.00	216.80	192.80	1.2 x 1.1 x 1.0	rectangular post hole
32.00	217.00	390.00	0.7 x 0.7	circular post hole
33.00	216.80	386.50	1.5 x 1.2 x 1.1	irregular post hole and post mold
34.00	217.00	383.00	1.0 x 1.4	square post hole
35.00	217.00	381.00	1.1 x 1.3	circular post hole
36.00	217.80	380.20	1.0 x 0.8	square post hole
39.00	216.90	376.20	1.3 x 1.7 x 1.1	rectangular post hole
40.00	217.40	373.00	0.9 x 0.9	square post hole
41.00	217.80	372.00	0.7 x 0.5	square post hole
42.00	218.00	371.40	0.7 x 0.7	triangular post hole
44.00	217.00	366.00	0.7 x 1.2	oval post hole
46.00	218.00	357.00	1.0 x 1.5	rectangular post hole
47.00	218.00	254.00	0.8 x 0.4	circular post hole
48.00	218.00	343.40	0.8 x 0.4	triangular possible post hole
50.00	217.00	337.00	0.6 x 0.8	square post hole
51.00	217.00	336.00	0.8 x 0.5	oval post hole
54.00	217.00	334.00	1.0 x 1.1	square post hole
55.00	217.00	331.00	1.4 x 1.7	square post hole
56.00	218.00	328.00	1.5 x 2.3	irregular post hole
58.00	220.00	325.00	0.8 x 0.5 x 2.6	oval post hole
60.00	217.50	324.40	1.0 x 0.6 x 0.5	square post hole
61.00	217.60	320.60	1.2 x 0.8 x 0.2	rectangular post hole
62.00	218.40	318.00	1.0 x 1.1 x 0.5	square post hole
63.00	218.00	315.80	1.5 x 1.7	square post hole
65.00	219.00	314.00	1.2 x 2.2	rectangular post hole
67.00	219.00	311.00	1.3 x 1.3	square post hole
68.00	218.00	308.00	1.6 x 1.3	circular post hole

APPENDIX VI

(cont.)

Feature Number	Midpoint Coordinate		Dimension Length x Width x Depth	Description/Interpretation
	North	West		
70.00	218.00	306.00	1.0 x 1.7	square post hole
71.00	218.20	304.60	1.0 x 1.0	square post hole
72.00	218.40	304.00	0.9 x 0.5	oval post hole
73.00	219.40	300.50	1.3 x 1.9 x 0.6	square post hole
75.00	219.80	296.50	2.8 x 2.5 x 0.9	"U"-shaped post hole
78.00	218.00	289.00	1.2 x 1.2	square post hole
79.00	218.00	286.00	2.3 x 2.3	multiple post hole
81.00	219.00	281.00	1.5 x 1.5	square post hole
82.00	219.00	279.00	1.7 x 0.8	multiple post hole
83.00	218.60	276.00	1.1 x 1.4	square post hole; intruded into Feature 84
84.00	218.60	274.60	1.4 x 1.7	oval post hole with circular post mold
86.00	218.00	271.40	1.3 x 0.7	oval post hole
102.00	219.70	254.40	1.3 x 1.6 x 1.2	square post hole
103.00	218.60	253.60	1.3 x 1.3 x 0.9	square post hole and small post mold
106.00	219.00	252.00	0.7 x 1.4	oval post hole
107.00	219.00	250.00	1.4 x 1.4	square post hole
112.00	219.00	243.40	1.4 x 1.4	circular post hole
113.00	218.00	242.00	4.8 x 2.7	post hole
115.00	218.00	236.00	2.6 x 3.5	possible post hole
116.00	221.40	232.00	1.5 x 1.1	circular post hole
121.00	217.00	227.40	1.0 x 1.0	circular post hole
122.00	219.00	224.00	1.6 x 2.6	rectangular multiple post holes
125.00	218.00	211.00	4.0 x 4.0 x 1.35	circular; post hole
126.00	210.00	220.00	1.0 x 1.5 x 0.8	rectangular post hole
127.00	220.00	210.00	0.8 x 0.8	circular post
129.00	217.90	340.50	1.0 x 1.2 x 1.8	circular post hole

Miscellaneous Post Holes

12.00	217.00	430.00	1.2 x 1.4	square post hole
13.00	216.00	428.00	1.0 x 1.1	circular post hole
16.00	216.00	421.00	0.9 x 0.8	circular post hole
22.00	226.50	416.50	3.2 x 1.2	oval possible post hole
24.00	232.00	405.60	0.9 x 0.5	rectangular post hole
28.00	232.00	401.60	1.0 x 1.0	square post hole
29.00	226.80	395.00	0.6 x 0.8	square post hole
49.00	217.30	339.30	4.0 x 2.0 x 1.3	multiple post holes
52.00	215.20	235.60	0.7 x 0.7	circular post hole
57.00	220.40	326.00	1.2 x 1.4	circular post hole
59.00	215.00	234.30	1.0 x 1.1	square post hole
76.00	215.00	294.00	0.9 x 0.8	circular post hole
77.00	214.00	293.00	1.6 x 1.6	circular post hole
80.00	220.00	286.00	1.1 x 1.4	oval post hole
85.00	218.10	283.90	0.9 x 1.0 x 0.5	square post hole and circular post mold
87.00	218.20	247.10	1.2 x 0.8 x 0.4	square post hole
88.00	212.00	275.00	1.2 x 1.3	circular post hole
89.00	211.00	279.80	1.2 x 1.1	circular post hole
97.00	203.40	275.00	1.6 x 1.6	square post hole
98.00	209.40	265.80	1.6 x 1.6	circular post hole
99.00	208.20	251.70	1.3 x 1.0 x 0.9	square post hole
101.00	219.50	260.00	1.1 x 0.7	rectangular post hole
104.00	221.00	275.00	1.6 x 1.6	circular possible post hole
105.00	211.10	253.20	2.5 x 2.9 x 0.9	irregular; had a post under it, no post mold

APPENDIX VI

(cont.)

Feature Number	Midpoint Coordinate		Dimension Length x Width x Depth	Description/Interpretation
	North	West		
109.00	214.00	248.00	1.5 x 0.9	oval post hole
111.00	212.00	245.00	1.5 x 1.2	square post hole
114.00	213.00	240.00	1.0 x 1.0	square post hole
117.00	215.00	231.00	1.8 x 1.4	circular; post hole
118.00	215.00	244.00	1.3 x 2.0	oval post hole
119.00	223.00	226.00	2.0 x 2.5	square post hole
211.00	179.10	186.10	0.7 x 0.9 x 0.5	square post hole
212.00	173.80	174.50	0.6 x 0.8 x 0.3	square; post hole
213.00	170.20	170.50	0.9 x 1.0 x 0.1	square; possible post hole
214.00	164.60	169.20	1.1 x 1.1 x 0.3	circular; possible post hole
215.00	170.40	158.60	0.7 x 0.7 x 0.2	square; post hole
217.00	163.40	156.20	0.9 x 0.9 x 2.2	circular; post hole
219.00	160.70	162.10	1.2 x 1.2 x 0.5	square; post hole
220.00	159.10	178.60	0.9 x 0.6 x 0.5	oval; post hole
221.00	156.20	147.70	1.2 x 1.2 x 1.0	circular; post hole
224.00	168.10	162.40	1.2 x 1.0 x 0.9	square post hole
279.00	142.50	197.60	1.2 x 1.2 x 0.6	circular possible post hole
288.00	159.00	166.10	1.3 x 0.7	oval
289.00	169.00	175.00	0.6 x 0.6 x 0.5	square possible post hole
291.00	171.20	177.70	0.7 x 0.7 x 1.25	square possible post hole

Miscellaneous Features of Unknown Function

96.00	225.00	280.00	4.0 x 30.0 x 5.0	trench; extends beneath unexcavated area to the north
11.00	214.40	427.20	1.0 x 7.0	rectangular
38.00	215.00	427.40	1.1 x 1.0 x 0.3	circular post hole
128.00	210.00	280.00	0.5 depth	1/2 moon shape protruding from Feature 96
110.00	216.00	246.00	4.7 x 3.5	irregular; unknown function
123.00	216.80	257.20	6.0 x 4.2 x 0.6	square; possible floor of outbuilding
235.00	140.00	175.00	15.0 x 0.8	possible pipe trench; modern
236.00	122.60	180.40	2.0 x 2.0 x 0.1	circular shallow feature
281.00	119.60	185.40	1.5 x 1.5 x 0.6	circular; bucket of lime rusted in place

Noncultural Features (Tree and root remains, tire scars, and rodent disturbances)

1.00	210.00	500.00	72 x 2	Tire Scar
2.00	225.00	526.00	0.5 x 0.5	noncultural
3.00	221.00	480.00	70 x 2	Tire Scar
4.00	231.00	507.00	1.6 x 1.0	Noncultural
5.00	227.00	497.00	1.0 x 1.0	Noncultural
6.00	220.00	480.00	0.4 x 0.5	natural
8.00	220.00	438.00	3.0 x 4.0	irregular; possible natural disturbance
17.00	214.00	420.00	1.0 x 12.0	rectangular; tire scar
21.00	220.00	420.00	2.0 x 2.0	noncultural
23.00	214.00	414.00	0.9 x 3.2	natural
25.00	214.00	403.20	4.0 x 8.0	possible pit feature with STP intrusion
37.00	226.00	450.00	1.0 x 6.0	tire scar
43.00	220.00	370.00	2.3 x 1.4	irregular; possibly natural
45.00	220.00	378.00	1.0 x 15.0	rectangular; tire scar
64.00	214.00	358.00	2.5 x 1.4	irregular; rodent disturbance
66.00	216.00	312.00	2.0 x 1.4	irregular; rodent disturbance
74.00	224.00	304.00	1.0 x 10.0	rectangular; tire scar
95.00	214.00	272.00	1.9 x 2.6	irregular; natural
100.00	214.00	260.50	1.0 x 1.0	noncultural
108.00	203.00	250.00	1.7 x 3.5 x 0.4	irregular; noncultural
124.00	214.00	210.00	1.7 x 7.0	tire scar

APPENDIX VI

(cont.)

Feature Number	Midpoint Coordinate		Dimension Length x Width x Depth	Description/Interpretation
	North	West		
203.00	220.00	530.00	0.4 x 0.5	noncultural
218.00	163.00	159.40	0.5 x 0.4 x 0.8	natural
222.00	152.90	156.00	1.7 x 1.4 x 0.1	irregular; noncultural
223.00	147.70	159.40	0.7 x 0.7 x 0.8	natural
228.00	138.70	141.50	0.8 x 0.9	STP from Phase I
233.00	120.00	180.00	disappeared	noncultural
234.00	130.00	180.00	disappeared	noncultural
238.00	120.80	180.50	1.2 x 1.0 x 0.5	noncultural
248.00	132.60	196.60	1.1 x 1.0	old STP Phase I
249.00	139.70	189.50	1.0 x 0.9 x 0.2	square located inside Feature 297
254.00	130.00	210.00	disappeared	irregular; noncultural
264.00	140.40	208.40	0.8 x 1.0 x 0.2	circular
266.00	149.80	209.20	0.6 x 0.6	noncultural
284.00	139.00	217.00	2.0 x 6.4 x 0.1	amorphous
292.00	166.80	166.60	2.7 x 2.7	Phase II test unit
293.00	180.30	187.00	0.7 x 0.6	circular; rodent disturbance
294.00	178.00	188.00	1.2 x 1.1	rodent disturbance
216.00	166.60	155.50	1.4 x 3.7 x 1.0	tree
225.00	143.30	159.50	1.2 x 1.3	tree root stain
226.00	144.60	154.80	1.7 x 2.2	tree left unexcavated
227.00	140.00	154.40	1.0 x 0.7	tree root stain
229.00	133.40	157.60	2.8 x 4.3	tree
230.00	127.50	147.80	0.7 x 0.6	root disturbance
241.00	127.90	184.30	0.9 x 0.9	tree
244.00	134.40	191.70	0.9 x 0.8 x 0.6	burnt tree
290.00	171.90	174.80	1.5 x 0.6 x 0.2	root cast
301.00	179.30	189.50	0.5 x 0.9 x 0.1	square; root stain

Note: Feature numbers 1-128 are located within the ESNG pipeline right-of-way.

Feature numbers 201-301 are located within the southeast corner of the Jones House Site.